Cofaty Data Chaot

Safety Data Sheet	
SECTION 1: Product and com	pany identification
Product name	: CITRA SMASH CHRYSTALS
Use of the substance/mixture	: Cleaner
Product code	: AB465
Company	: GREEN CHEM LABORATORIES
	1650 MARKET STREET
	SUITE 3631 PHILADELPHIA, PA 19103 - US
	T 1-800-964-3151 - F 1-800-336-9068
Emergency number	: INFOTRAC: 1-800-535-5053 OR 1-352-323-3500
SECTION 2: Hazards identific	ation
2.1. Classification of the substa	nce or mixture
GHS-US classification	
Skin Corr. 1B H314	
Skin Sens. 1 H317	
2.2. Label elements	
GHS US labelling	
Hazard pictograms (GHS US)	
	GHS05 GHS07
Signal word (GHS US) Hazard statements (GHS US)	: Danger : Causes severe skin burns and eye damage.
i lazaru statements (GHS 03)	May cause an allergic skin reaction.
Precautionary statements (GHS US)	: Do not breathe dust.
	Avoid breathing dust.
	Wash thoroughly after handling
	Contominated work alathing must not be allowed out of the workplace

Contaminated work clothing must not be allowed out of the workplace.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If on skin: Wash with plenty of soap and water.. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Dispose of contents/container to comply with local/regional/national/international regulations..

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

Wear eye protection, protective clothing, protective gloves. If swallowed: rinse mouth. Do NOT induce vomiting.

easy to do. Continue rinsing.

Store locked up.

2.3 Other hazards

Z.J.	Other hazards	
No add	nal information available	
2.4.	Unknown acute toxicity (GHS US)	
Not ap	able.	
SEC	N 3: Composition/information on ingredients	
SEC 3.1.	N 3: Composition/information on ingredients Substances	
	Substances	

Immediately call a doctor, a POISON CENTER. Specific treatment (see First aid measures on this label). If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

3.2. Product identifier **GHS-US** classification Name % Sodium Carbonate (CAS-No.) 497-19-8 55-70 Eye Irrit. 2, H319 Phosphoric acid, trisodium salt, dodecahydrate (CAS-No.) 10101-89-0 3-7 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335

Safety Data Sheet

um Metasilicate	(CAS-No.) 6834-92-0	3-7	Skin Corr. 1B, H314
			STOT SE 3, H335
nonene	(CAS-No.) 5989-27-5	1-5	Flam. Lig. 3, H226
	(Skin Irrit. 2, H315
			Skin Sens. 1, H317
			Asp. Tox. 1, H304
enesulfonic acid, C10-16-alkyl derivatives	(CAS-No.) 68584-22-5	1-5	Acute Tox. 4 (Oral), H302
			Skin Corr. 1A, H314
ar Alcohol Ethoxylate	(CAS-No.) 34398-01-1	1-5	Acute Tox. 4 (Oral), H302
			Eye Dam. 1, H318
um Trimetaphosphate	(CAS-No.) 7785-84-4	0.1-1	Not classified
um Trimetaphosphate	(CAS-No.) 7785-84-4	0.1-1	N

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures			
4.1. Description of first aid measured	res		
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: Take off contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.		
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.		
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Consult a doctor/medical service if you feel unwell.		
4.2. Most important symptoms and	d effects, both acute and delayed		
Symptoms/effects	: Causes severe skin burns and eye damage. May cause an allergic skin reaction.		
Symptoms/effects after inhalation	: May cause respiratory irritation.		
Symptoms/effects after skin contact	: Caustic burns/corrosion of the skin. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.		
Symptoms/effects after eye contact Symptoms/effects after ingestion	 Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Nausea. Diarrhoea. 		

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1.	Extinguishing media		
Suita	ble extinguishing media	: Adapt extinguishing media to the environment.	
5.2.	Special hazards arising fro	om the substance or mixture	
Read	tivity	: Upon combustion: CO and CO2 are formed.	
5.3.	Advice for firefighters		
Firefi	ghting instructions	 Exercise caution when fighting any chemical fire. Use water moderately and if possible collect or contain it. Use water spray or fog for cooling exposed containers. 	
Prote	ection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	
SEC	FION 6: Accidental relea	Ise measures	

General measures	: Isolate from fire, if possible, without unnecessary risk.
6.1.1. For non-emergency personnel	
Protective equipment	: Safety glasses. Gloves. Protective clothing.
Emergency procedures	: Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.

Avoid release to the environment. Prevent soil and water pollution.

Safety Data Sheet

6.3. Methods and material for c For containment	: Contain released product, pump into suitable containers.
Methods for cleaning up	 Contain released product, pump into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation.
6.4. Reference to other section	s
No additional information available	-
SECTION 7: Handling and sto	prage
7.1. Precautions for safe handl	ing
Precautions for safe handling	Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using thi product. Do not get in eyes, on skin, or on clothing.
Hygiene measures	: Wash thoroughly after handling. Wash contaminated clothing before reuse.
	e, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store in original container.
Incompatible products Storage area	 Strong acids. Oxidizing agent. Keep only in the original container. Store in a dry area. Store in a cool area.
Special rules on packaging	: meet the legal requirements.
Special fules on packaging	. meet the legal requirements.
SECTION 8: Exposure contro	Is/personal protection
8.1. Control parameters	
Benzenesulfonic acid, C10-16-alky	derivatives (68584-22-5)
Not applicable	
d-Limonene (5989-27-5)	
Not applicable	
Linear Alcohol Ethoxylate (34398-0	1_1)
Not applicable	1-1)
Sodium Metasilicate (6834-92-0)	
Not applicable	
Sodium Carbonate (497-19-8)	
Not applicable	
Phosphoric acid, trisodium salt, do	Ndecaby/drate (10101-80-0)
Not applicable	
Sodium Trimetaphosphate (7785-8	4-4)
Not applicable	
8.2. Exposure controls	
Personal protective equipment	: Use appropriate personal protective equipment when risk assessment indicates this is necessary.
	Safety glasses. Gloves. Protective clothing.
SECTION 9: Physical and che	emical properties
-	cal and chemical properties
Physical state	: Solid
Appearance	: fine, free-flowing orange powder
Odour	: Citrus scent
Odour threshold	· No data available

Odour Odour threshold pH Melting point Freezing point Issue date: 9/17/2021

Revision date: 02/23/2018

No data available

12.5 -10% solution No data available No data available

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. **Chemical stability**

No additional information available

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Oxidizing agents. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information 11.1. Information on toxicological effects		
Benzenesulfonic acid, C10-16-alky	I derivatives (68584-22-5)	
LD50 oral rat	530 mg/kg	
ATE CLP (oral)	530 mg/kg bodyweight	
d-Limonene (5989-27-5)		
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat,	
	Female, Experimental value, Oral)	
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal)	
Linear Alcohol Ethoxylate (34398-0	01-1)	
LD50 oral rat	> 1400 mg/kg	
Sodium Carbonate (497-19-8)		
LD50 oral rat	2800 mg/kg (Rat, Male / female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	> 2000 mg/kg (16 CFR 1500.40, 24 h, Rabbit, Experimental value, Dermal)	
LC50 Inhalation - Rat	(2 h, Rat, Male, Experimental value)	

ATE CLP (oral)

ATE CLP (vapours) ATE CLP (dust,mist) 2.3 mg/l/4h

2.3 mg/l/4h

2800 mg/kg bodyweight

Safety Data Sheet

Phosphoric acid, trisodium salt, dodecahydrate (10101-89-0)

i nosphone acia, insourant sait, aoueca		
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat,	
	Female, Experimental value, Anhydrous form, Oral, 14 day(s))	
LD50 dermal rat	> 2000 mg/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value,	
	Dermal, 14 day(s))	
LC50 Inhalation - Rat	> 0.83 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value,	
	(maximum achievable concentration), Inhalation (dust), 14 day(s))	
Skin corrosion/irritation	: Causes severe skin burns. pH: 12.5 -10% solution	
Serious eye damage/irritation	: Assumed to cause serious eye damage pH: 12.5 -10% solution	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity : Not classified		
Carcinogenicity	: Not classified	
d-Limonene (5989-27-5)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Symptoms/effects after inhalation	: May cause respiratory irritation.	
Symptoms/effects after skin contact	: Caustic burns/corrosion of the skin. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.	
Symptoms/effects after eye contact	: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.	
Symptoms/effects after ingestion	: Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Nausea. Diarrhoea.	
Likely routes of exposure	: Skin and eyes contact	

12.1. Toxicity	
d-Limonene (5989-27-5)	
LC50 - Fish [1]	720 μg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)
ErC50 algae	0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

Linear Alcohol Ethoxylate (34398-01-1)	
LC50 - Fish [1]	< 10 mg/l
EC50 - Crustacea [1]	< 10 mg/l
ErC50 algae	< 10 mg/l

Sodium Carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l (96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	200 – 227 mg/l (48 h, Ceriodaphnia sp., Semi-static system, Fresh water, Experimental value,
	Locomotor effect)

Phosphoric acid, trisodium salt, dodecahydrate (10101-89-0)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static
	system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static
	system, Fresh water, Experimental value, Locomotor effect)

12.2. Persistence and degradability	
d-Limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.

ThOD	3.29 g O ₂ /g substance		
Sodium Carbonate (497-19-8)			
Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic		
ThOD	Not applicable (inorganic)	
Phosphoric acid, trisodium salt, dodecahydrate (10101-89-0)		
Persistence and degradability	Biodegradability in soil: n	ot applicable. Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
2.3. Bioaccumulative potential			
d-Limonene (5989-27-5)			
BCF - Fish [1]	864.8 l/kg (BCEBAE v3.0	1, Pisces, QSAR, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)		, Equivalent or similar to OECD 117, 37 °C)	
Bioaccumulative potential	Potential for bioaccumula		
Sodium Carbonate (497-19-8)			
Partition coefficient n-octanol/water (Log Pow)	-6.19 (Estimated value)		
Bioaccumulative potential	Not bioaccumulative.		
Phosphoric acid, trisodium salt, dodecahydrate (1	10101-89-0)		
Bioaccumulative potential	Not bioaccumulative.		
Baseline Waste treatment methods Product/Packaging disposal : I recommendations : I	Dispose in a safe manner in	accordance with local/national regulations.	
SECTION 14: Transport information			
•			
pepartment of Transportation (DOT) accordance with DOT : Not regulated for tra	nsport		
dditional information			
	No supplementary informatic	n available.	
DR			
lo additional information available			
ransport by sea			
o additional information available ir transport			
lo additional information available			
ECTION 15, Dogulatory information			
ECTION 15: Regulatory information Il components of this product are listed as Active, control Act (TSCA) inventory	or excluded from listing, on	the United States Environmental Protection Agency Toxic Substances	
		ss of the applicable de minimis concentration as specified in 40 CFR e Superfund Amendments and Reauthorization Act of 1986 and 40 CFR	
Phosphoric acid, trisodium salt, dodecahydrate	(10101-89-0)	CERCLA RQ5000 lb	

Sodium Trimetaphosphate	(7785-84-4)	CERCLA RQ5000 lb
Linear Alcohol Ethoxylate	(34398-01-1)	SARA Section 311/312 Hazard ClassesImmediate (acute) health hazard
		nealth nazaru



This product can expose you to sulphur dioxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Safety Data Sheet

SECTION 16: Other information

Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.	
NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.	
NFPA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.	
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.	>



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.