Safety Data Sheet

Salety Data Sheet				
SECTION 1: Product and cor	npany identification			
Product name	: FULL MONTY BOILER TREATMENT			
Use of the substance/mixture	: Water treatment			
Product code : AL68 Company : GREEN CHEM LABORATORIES 1650 MARKET STREET SUITE 3631 PHILADELPHIA, PA 19103 - US T 1-800-964-3151 - F 1-800-336-9068				
Emergency number	: INFOTRAC: 1-800-535-5053 OR 1-352-323-3500			
SECTION 2: Hazards identified	cation			
2.1. Classification of the subst	ance or mixture			
GHS-US classification Skin Corr. 1A H314				
2.2. Label elements				
GHS US labelling Hazard pictograms (GHS US)				
Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	 GHS05 Danger Causes severe skin burns and eye damage. Do not breathe mist, spray. Wash thoroughly after handling Wear eye protection, protective clothing, protective gloves. If swallowed: rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor, a POISON CENTER. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container to comply with local/regional/national/international regulations 			
2.3. Other hazards				

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Potassium Carbonate	(CAS-No.) 584-08-7	5.0 - 10.0	Acute Tox. 4 (Oral), H302
			Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
			STOT SE 3, H335
Proprietary Dispersant	(CAS-No.) Withheld	5.0 - 10.0	Skin Irrit. 2, H315
			Eye Irrit. 2B, H320
Sodium Hydroxide	(CAS-No.) 1310-73-2	1.0 - 5.0	Acute Tox. 4 (Dermal), H312
-			Skin Corr. 1A, H314

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Safety Data Sheet

SECTION 4: First aid meas	ures			
4.1. Description of first aid n	neasures			
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).			
First-aid measures after inhalation				
First-aid measures after skin conta				
	If skin irritation occurs: Get medical advice/attention.			
First-aid measures after eye conta				
-	do. Continue rinsing. Immediately call a POISON CENTER/doctor.			
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.			
4.2. Most important symptor	ns and effects, both acute and delayed			
Symptoms/effects	: Causes severe skin burns and eye damage.			
Symptoms/effects after inhalation	: May cause respiratory irritation.			
Symptoms/effects after skin contact				
Symptoms/effects after eye contact				
Symptoms/effects after ingestion	: Harmful if swallowed. Burns to the gastric/intestinal mucosa.			
	liate medical attention and special treatment needed			
Treat symptomatically.				
SECTION 5: Firefighting me	easures			
5.1. Extinguishing media				
Suitable extinguishing media	: All extinguishing media allowed.			
	from the substance or mixture			
Reactivity	: Upon combustion: CO and CO2 are formed.			
5.3. Advice for firefighters				
Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed			
Protection during firefighting	containers. Take account of environmentally hazardous firefighting water. : Do not enter fire area without proper protective equipment, including respiratory protection.			
	· _ · · · · · · · · · · · · · · · · · ·			
SECTION 6: Accidental rele	ease measures			
6.1. Personal precautions, p	rotective equipment and emergency procedures			
General measures	: Isolate from fire, if possible, without unnecessary risk.			
6.1.1. For non-emergency person	inel			
Protective equipment	: Protective goggles. Gloves. Protective clothing.			
Emergency procedures	: Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.			
6.1.2. For emergency responders				
Protective equipment	: Equip cleanup crew with proper protection.			
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.			
6.2. Environmental precaution	 DNS			
Avoid release to the environment. P	revent entry to sewers and public waters.			
6.3. Methods and material fo	or containment and cleaning up			
For containment	: Contain released product, pump into suitable containers.			
Methods for cleaning up	: This material and its container must be disposed of in a safe way, and as per local legislation.			
6.4. Reference to other secti	ons			
No additional information available				
SECTION 7: Handling and	storage			
7.1. Precautions for safe har	ndling			
Precautions for safe handling	: Comply with the legal requirements. Do not handle until all safety precautions have been read and			
-	understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this			
	product. Do not get in eyes, on skin, or on clothing.			
Hygiene measures	: Wash thoroughly after handling. Wash contaminated clothing before reuse.			
7.2. Conditions for safe stora	age, including any incompatibilities			
Technical measures	: Comply with applicable regulations.			
Storage conditions	: Keep container closed when not in use.			
Incompatible products	: Oxidizing agent.			
· · ·				
Issue date: 9/17/2021	Revision date: 04/24/2015 Z_US GHS SDS 21 Page 2 of			

Safety Data Sheet

Storage area Special rules on packaging : Meet the legal requirements. Store in a cool area. Store in a well-ventilated place.

: meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1.	Control parameters
Pre	oprietary Dispersant (Withheld)
No	t applicable
Po	tassium Carbonate (584-08-7)

Not applicable

Sodium Hydroxide (1310-73-2)			
ACGIH	ACGIH OEL C	2 mg/m ³	
ACGIH	Remark (ACGIH)	URT, eye, & skin irr	
OSHA	OSHA PEL TWA [1]	2 mg/m ³	

8.2. Exposure controls

Personal protective equipment

Use appropriate personal protective equipment when risk assessment indicates this is necessary. Protective clothing. Gloves. Safety glasses.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

		oui properties
Physical state	:	Liquid
Appearance	:	Clear, gold liquid
Odour	:	Mild odor
Odour threshold	:	No data available
рН	:	13 – 14
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	> 200 °F Closed Cup
Relative evaporation rate (butylacetate=1)	:	No data available
Flammability (solid, gas)	:	No data available
Explosive limits	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Relative vapour density at 20 °C	:	No data available
Density	:	1.16 g/ml
Solubility	:	Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Partition coefficient n-octanol/water (Log Kow)	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
VOC content	:	0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

Safety Data Sheet

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information						
11.1. Information on toxicological effects						
Acute toxicity	Acute toxicity : Not classified					
Potassium Carbonate (584-08-7)						
LD50 oral rat	1870 mg/kg					
Sodium Hydroxide (1310-73-2)						
LD50 oral rat	4090 mg/kg					
LD50 dermal rabbit	1350 mg/kg					
ATE CLP (oral)	4090 mg/kg bodyweight					
ATE CLP (dermal)	1350 mg/kg bodyweight					
Skin corrosion/irritation	: Causes severe skin burns. pH: 13 – 14					
Serious eye damage/irritation						
Respiratory or skin sensitisation:Not classifiedGerm cell mutagenicity:Not classifiedCarcinogenicity:Not classified						
Reproductive toxicity: Not classifiedSTOT-single exposure: Not classified						
STOT-repeated exposure	: Not classified					
Aspiration hazard Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 Not classified May cause respiratory irritation. Caustic burns/corrosion of the skin. Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage. Harmful if swallowed. Burns to the gastric/intestinal mucosa. 					

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.	
SECTION 14: Transport inform	nation	

Department of Transportation (DOT)

: UN3266 Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide), 8, II
: UN3266
: Corrosive liquid, basic, inorganic, n.o.s.
: 8 - Class 8 - Corrosive material 49 CFR 173.136

Safety Data Sheet		
Hazard labels (DOT)	:	8 - Corrosive
		CORROSIVE 8
Packing group (DOT)	:	II - Medium Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	:	202
DOT Packaging Bulk (49 CFR 173.xxx)	:	242
DOT Symbols	:	G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	:	B2,IB2,T11,TP2,TP27
DOT Packaging Exceptions (49 CFR 173.xxx)	:	154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	1 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	30 L
DOT Vessel Stowage Location	:	В
DOT Vessel Stowage Other	:	40 - Stow "clear of living quarters",52 - Stow "separated from" acids

Additional information Other information

ADR	٦
No additional information available	
Transport by sea	
No additional information available	
Air transport	
No additional information available	

: No supplementary information available.

SECTION 15: Regulatory information

All components of this product are listed as Active, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Sodium Hydroxide	(1310-73-2)	CERCLA RQ1000 lb

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

SECTION 16: Other information	
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 0 ² - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.

Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.