





NAME: HIGH TEMP ANTI-SEIZE

PART NUMBER(S): Q2137

## PRODUCT DESCRIPTION:

High Temp Anti-Sieze (NON-TOXIC) is a gray/black non-melt lubricant formulated to withstand high temperatures and extreme pressures. The blend of paraffinic oil and solids used insures a resistance to decomposition and oxidation under extreme temperature conditions. It is fortified with anti-wear, extreme pressure and anti-oxidant additives to provide a multipurpose application for the product. A specialty lubricant to prevent friction wear and reduce galling and seizing of metal contact. This product has been approved by the USDA for use in meat and poultry plants where no contact with food occurs.

## **Features and Benefits:**

- Prevents galling, seizing and galvanic action
- Long term protection indoors or outdoors with just one application
- · Will not evaporate, separate or harden

## Use on:

- For use on flanges, nuts, valves, fuel injectors, pins, transmission shafts, brake anchor pins, marine engines, valves, stationary engines, turbines, piping, compressors, and cylinder heads
- Areas of use include factories, industrial plants, workshops and warehouses

## **Specifications:**

FORM: Thick paste
COLOR: Silver gray
DETERGENCY: N/A
TOXICITY: Non-hazardous
WETTING ABILITY: N/A

STORAGE STABILITY: 1 Year + COLD STABILITY: 0°F PHOSPHATES: None

FLASH POINT: Not Tested BOILING POINT: Unknown SOLUBILITY IN WATER: 0% SPECIFIC GRAVITY: 1.00 %

VOC: 0% pH: N/A

VISCOSITY: Very Thick EVAPORATION RATE: Slow BIODEGRADABILITY: No

Quantities:

12 UNITS/CASE





