Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/21/2019 Revision date: 04/21/2019

SECTION 1: Identification			
1.1. Identification			
Product form	: Mixture		
Product name	: PURPLE POP		
Product code	: CC201		
1.2. Relevant identified uses of the	substance or mixture and uses advi	sed against	
Use of the substance/mixture	: Odorant	-	
1.3. Details of the supplier of the sa	afety data sheet		
GREEN CHEM LABORATORIES 1650 MARKET STREET, SUITE 3631 PHILADELPHIA, PA 19103	Phone: 1800-964-3151 Fax: 1800-336-9068		
1.4. Emergency telephone number			
Emergency number	INFOTRAC: 1-800-535-5053 C	R 1-352-323-3500	
SECTION 2: Hazard(s) identifica	tion		
2.1. Classification of the substance			
GHS-US classification	ustible liquid		
	ustible liquid		
Skin corrosion/irritation, Category 2 Cause			
Sensitisation — Skin, Category 1 May c	ause an allergic skin reaction		
2.2 Lobel elemente			
2.2. Label elements			
GHS-US labelling Hazard pictograms (GHS-US)			
Signal word (GHS-US)	GHS07 : Warning		
Hazard statements (GHS-US)	: Combustible liquid Causes skin irritation May cause an allergic skin re	action	
Precautionary statements (GHS-US)	Avoid breathing vapors, spray Wash hands thoroughly after Contaminated work clothing r Wear eye protection, protectiv If on skin: Wash with plenty o Specific treatment (see First / If skin irritation occurs: Get m If skin irritation or rash occurs Take off contaminated clothing Wash contaminated clothing In case of fire: Use ABC-pow Store in a well-ventilated place	handling hust not be allowed out of the workplace e gloves soap, water hid measures on this label) edical advice/attention c Get medical advice/attention g and wash it before reuse before reuse der to extinguish	ng
2.2 Other becaude			
2.3. Other hazards No additional information available			
	10)		
2.4. Unknown acute toxicity (GHS U	J5)		
Not applicable			
SECTION 3: Composition/inform	nation on ingredients		
3.1. Substance			
Not applicable			
04/21/2019	EN (English)	SDS ID: C-769	Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixture			
Name	Product identifier	%	GHS-US classification
Distillates (Petroleum), Hydrotreated Light	(CAS No) 64742-47-8	90 - 95	Flam. Liq. 4, H227 Asp. Tox. 1, H304
2-propanol	(CAS No) 67-63-0	1 - 3	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow breathing of fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see First aid measures on this label). Wash contaminated clothing before reuse. Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and eff	fects, both acute and delayed
Symptoms/injuries after inhalation	: May cause an allergic skin reaction.
4.3. Indication of any immediate medi	cal attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: Combustible liquid.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release me	easures
6.1. Personal precautions, protective	equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contain	ment and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
Cas Llassing O. Europeum controls and service	and meeting of the second s

See Heading 8. Exposure controls and personal protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Keep away from Heat, open flames No smoking.
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	ng any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources, Keep away from ignition sources.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Distillates (Petroleum), Hydrotreated Light (64742-47-8) Not applicable 2-propanol (67-63-0) ACGIH ACGIH TWA (ppm) ACGIH ACGIH STEL (ppm)

ACGIH	ACGIH STEL (ppm)	400 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair
OSHA	OSHA PEL (TWA) (mg/m ³)	980 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	400 ppm

200 ppm

8.2. Exposure controls

Personal protective equipment

: Safety glasses. Gloves.



Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Color	: Purple
Odor	: Fruity
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >200
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: 0.817
Relative vapor density at 20 °C	: No data available
Solubility	: Insoluble
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

SECTI	ON 10: Stability and reactivity	
10.1.	Reactivity	
No addit	tional information available	
10.2.	Chemical stability	
Combus	tible liquid. May form flammable/explosive vapour-air mixture.	
10.3.	Possibility of hazardous reactions	
Not esta	blished.	
10.4.	Conditions to avoid	
Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.		
10.5.	Incompatible materials	

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

2-propanol (67-63-0)	
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)
ATE US (dermal)	12870.000 mg/kg bodyweight
ATE US (vapours)	73.000 mg/l/4h
ATE US (dust,mist)	73.000 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
2-propanol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause an allergic skin reaction.

SECTION 12: Ecological information

12.1. Toxicity

2-propanol (67-63-0)	
LC50 fish 2	9640 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow- through system; Fresh water; Experimental value)
EC50 Daphnia 2	13299 mg/l (EC50; Other; 48 h; Daphnia magna)
Threshold limit algae 1	> 1000 mg/l (EC50; UBA; 72 h; Scenedesmus subspicatus)

12.2. Persistence and degradability

PURPLE REIGN	
Persistence and degradability	Not established.
Distillates (Petroleum), Hydrotreated Light (64	742-47-8)
Persistence and degradability	Readily biodegradable in water. Not established.
2-propanol (67-63-0)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available. Not established.
Biochemical oxygen demand (BOD)	1.19 g O₂/g substance
Chemical oxygen demand (COD)	2.23 g O₂/g substance
ThOD	2.40 g O₂/g substance

12.3. **Bioaccumulative potential**

PURPLE REIGN	
Bioaccumulative potential	Not established.
Distillates (Petroleum), Hydrotreated Light (64742-47-8)	
Log Pow	>3
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.
2-propanol (67-63-0)	
Log Pow	0.05 (Weight of evidence approach; Other; 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.

Mobility in soil 12.4.

Surface tension 0.021 N/m (25 °C) 12.5. Other adverse effects Effect on the global warming : No known ecological damage caused by this product. Other information Aurid relevant the project product.	2-propanol (67-63-0)	
Effect on the global warming : No known ecological damage caused by this product.	Surface tension	0.021 N/m (25 °C)
	2.5. Other adverse effects	
	Effect on the global warming : No known ecological damage caused by this product.	
Other information : Avoid release to the environment.	Other information	: Avoid release to the environment.

SECTION 13: Disposal considera	ations
13.1. Waste treatment methods	
Waste disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to an approved waste disposal plant.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport informat	tion

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information		
15.1. US Federal regulations PURPLE POP		
All components of this product are listed, or excluded from Substances Control Act (TSCA) inventory	listing, on the United States Environ	nmental Protection Agency Toxic
Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.		
2-propanol	CAS No 67-63-0	1 - 3%
CANADA No additional information available EU-Regulations No additional information available National regulations No additional information available		
15.3. US State regulations		
California Proposition 65 - This product does not contain and/or reproductive harm	any substances known to the state	of California to cause cancer
2-propanol (67-63-0)		
U.S New Jersey - Right to Know Hazardous Substance L	ist	

SECTION 16: Other information

Revision date	
Other information	

- : 05/06/2015
- : None.


Full text of H-statements:

H225	Highly flammable liquid and vapour
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
IFPA health hazard	: 0 - Exposure under fire conditions would offer no hazard

NFPA health hazard

NFPA fire hazard NFPA reactivity

- beyond that of ordinary combustible materials. : 1 - Must be preheated before ignition can occur.
- : 1 Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.



Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 0 Minimal Hazard - No significant risk to health
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.
Personal Protection	: B
	B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product