



# GREEN CHEM

## LABORATORIES

### DISPOSAL

Offer empty container for recycling. If recycling is not available, discard container in trash.

### PRECAUTIONS FOR SAFE HANDLING

Keep container tightly closed when not in use. Do not store in unmarked containers. Do not mix with any other chemicals. Store containers in cool, dry place.

### WARNING

#### KEEP OUT OF REACH OF CHILDREN

For industrial and commercial use only.  
For additional information, see Safety Data Sheet.

**NFPA® RATINGS:** Health: 0; Flammability: 0; Reactivity: 0.

**CONTAINS/CAS NUMBER:** Sodium Chloride/7647-14-5; Yeast Culture/None; Sodium Bicarbonate/144-55-8; Viable Bacteria Culture/None; Yellow Prussiate of Soda/13601-19-9.

Green Chem Laboratories - [www.GreenChemLabs.com](http://www.GreenChemLabs.com) • 1-800-964-3151

# PAC-MAN ENZYMES

## ENZYME GRANULES



EATS ORGANIC WASTE



USE IN GREASE PIT



USE IN FLOOR DRAINS



USE IN SEPTIC SYSTEMS

PAC-MAN ENZYMES contain a special blend of Bacillus bacteria strains, both aerobic and facultative, chosen for their ability to digest and liquefy organic waste quickly, efficiently and without odors.

The natural bacteria/enzymes break down proteins, starch, carbohydrates, animal fats, vegetable oils, and cellulose (paper), making it the most effective waste digestion product for a variety of applications.

This product contains an all-purpose formula that safely treats drains, grease traps, septic systems, pit toilets, sewer lines and compost heaps to decrease build-up and reduce odors.

### DIRECTIONS

This product must be mixed with warm water (85° to 100°F) prior to use. DO NOT USE HOT WATER.

#### FOR CLOGGED DRAINS

- Dissolve 5 tablespoons of product with 2 cups warm water.
- Pour into drain and allow to work overnight.
- Maintain open drains with 2 tablespoons per week.
- Do not use with disinfectants or harsh chemical drain openers.

#### FOR GREASE TRAPS

- Use 1 pound of product for every 20 cubic feet of trap capacity for 3 weeks.
- Maintain traps with 1/2 pound per week.

#### FOR SEPTIC SYSTEMS

- Slowly flush 1/2 pound of product for every 500 gallons of system capacity.
- Maintain systems with 1/4 pound per month.

#### FOR PIT TOILETS

- Pour 1/2 pound of product for every 500 gallons of capacity.
- Do not use with formaldehyde preservatives or disinfectants.

NET CONTENTS: 1.75 LBS (794.5 GRAMS)